


PLAQUES ALUMINUM-BRONZE-BRASS


800-886-8990


customerservice@brightideashops.com

www.brightideashops.com

Start your plaque project by pre-selecting from these options. Choose from all, or just a couple. Contact us for questions or to receive a quote.







MATERIAL







Lead-free Alloy 22000




Lead-free Alloy C46400 (+10%)




B


BORDER



*Borders not available in Thin Gauge







Double Line Wide Bevel*



C

BACKGROUND COLOR

Most Common Background Colors

Other standard painted colors shown in Section F. Custom colors available (\$25 per color match).



Black 2025



Dark Oxide 1315



Brown F63R



Duranodic Bronze 3130

TEXTURE

Bronze, Brass & Aluminum Background Textures



Stipple








Classic Leather Cast ONLY (28" x 48" max.)

PHOTO





EXTRA PAINT COLORS

Make Accents Stand Out by Adding an Extra Color

Non-metallic standard colors are painted gloss - or are availible semi-gloss, sattin, or matte upon request. *Indicates metallic colors that are not full gloss.



MOUNTING STYLE



(Type A)
Drilled & Tapped



Solid Wall Mount (Type B)



Hollow Wall Mount (Type C)



Wood Mount (Type D)



Stud Boss Mount (Type AW)

Plaques thinner than 1/4" can be stud mounted with welded stud bosses.



ROSETTE COVERS

Optional Rosettes are decorative covers for the screw heads, typically in each corner of bronze and aluminum plaques (included in price). Rosettes are available in 1/2", 3/4", 1" and 1-1/2" diameters. Rosettes with highlights are oxidized, aluminum rosettes are bead blasted. Screw heads are painted to match background.



R-1



R-2



R-3



1" & 1-1/2" only



R-5



R-6



1" & 1-1/2" only

POST MOUNTING

Garden Stake Mount (Type E)

Machine screws through 5/16" thick black anodized stakes into back of plaque.



Maximum plaque size is 12" x 8" for one stake or 20" x 8" with two stakes. Minimum plaque height is 4" $\,$

Post Mount (Type F)

Black painted aluminum brackets attach to back of plaque with machine screws. Aluminum square post bolts into bracket at a 45° or 90° angle.



Plaques over 24" wide require two posts.

1" Post is on a 4" x 6" bracket. 1-1/2" Post is on a 5" x 7" bracket.

2" Post is on a 6" x 8" bracket.